Here's every cross-border service that I'm aware of that is listed in ARROW by 'train' number. I've also added every city-pair for each one that would involve cross-border travel:

Vermonter Thruway bus (St. Albans - Montreal) (Operated by Vermont Transit) ARROW Train Nos. 8055, 8066 Cross-border city-pairs; US point: SAB Canadian noint: ------------Adirondack train (New York - Montreal) ARROW Train Nos. 68, 69 Cross-border city-pairs: US points: NYP/CRT/POU/RHI/HUD/ALB/SDY/SAR/FED/WHL/FTC/POH/WSP/PLB/RSP Canadian points: STO/MTP ------..... Maple Leaf train (New York - Toronto) ARROW Train Nos. 63, 64 (between US points and the border) ARROW Train Nos. 7097 and 7098 (Canadian points and the border) Cross-border city-pairs: US points: NYP/YNY/CRT/POU/RHI/HUD/ALB/SDY/AMS/UCA/ROM/SYR/ROC/BUF/BFX/NFL Canadian points: NFS/SCA/GMS/AST/OKL/TWO (via CBN) International train (Chicago - Toronto) ARROW Train Nos. 364, 365, 367 (between US points and the border) ARROW Train Nos. 7085, 7088, 7685 (between Canadian points and the border) Cross-border city-pairs: US points: CHI/HMI/NLS/KAL/BTL/LMS/DRD/FLM/LPE/PTH Canadian points: SYA/SRY/LOT/SMA/STF/KOT/GUE/GEO/BRT/MON/TWO (via CBM) ------Amtrak Cascades train (Seattle - Vancouver) ARROW Train Nos. 760, 763 Cross-border city-pairs US points: SEA/EDM/EVR/MVW/BEL Canadian point: VAC ------______ Astrak Cascades Thruway bus (Seattle - Vancouver) (Operated by Western Trailways) ARROW Train Nos. 8911, 8914, 8948, 8950, 8952, 8953, 8955, 8957 Cross-border city-pairs: US point: SEA Canadian points: RBC/SUY/VAC -----Amtrak Cascades Thruway bus (Bellingham - Vancouver) (Operated by Western Trailways) ARROW Train Nos. 8661, 8662 Cross-border city-pairs: US point: BEL

Canadian point: VAC

Clipper Navigation Thruway ferry (Seattle - Victoria)

ARROW Train Nos. 7406, 7407 (Note: additional train numbers appear on this service every summer as the

carrier offers several departures per day during peak season) Cross-border city-pairs: US point: SEA

Canadian point: VBC

Exemption 6



Exemption 6

	PROJECT GE REQUEST FO	PRM.
	ject Number:	Open Date:
Project Title: 5DOB Arrow enforcement	ATPIR #: 530	
Change Description: Add GDS manual tic requirement		Importance: Critical Necessary X Desired
Requested By:	Date Submitted:	9Jul04
Purpose of Change Request: X Add New Re		Change a Requirement Clarification Increases Scope
Change to Which Document? Business Just	ification X Requi	rements Definition Detailed Sizing
up action by Amtrak is required in order:	to obtain the DOB. If the PNR needs to be quantized). Id be placed at the top a new queue needs to B REQUIRED**	be labeled as such:
Assigned To: Date As		
	signed: 09Jul04	Date Due: 16Jul04
Impact Summary and Recommendation: During the GDS manus ticketing. If DOB is no Philadelphia (TEL).	al ticketing process, ot present, queue the	activate the existing DOB checks for PNR to the Travel Agent Sales Center i
Estimated Cost Impact: \$3,000	Retirented Sci	hedule Impact: 1 Week

Exemption 6

AT:	Accept. Test:	AT:	Accept. Test:
Impl.:		Impl.:	
Total Development Ongoing Cost Estima	Cost Impact: \$3,000	Overall Schedule	Impact: 1 Week
Ougoing Cost Estima	Nto:		ation Date: 31Aug04
		DISPOSITION	
Action:	Priority:	Accepted by:	
Approved	High		Date: 9Jul04
Deferred	Medium	Sr. Sales Support Off	icer
Rejected	Low		Date:
		CR&R Director	
			Date: 15Jul04
		AT Project Manager	
	(Attach ad	ditional Information, If nec	essary)

Prepared by:



hees

Help

ANT AGE TO T

() Options

(S) 64

J. Open 184 Location Stor All Properties

4eed:0

Title

Teps Comments Finished Quilez Distance 7,53,0004,955,897 Crawled 7.45,0004 \$ 55 PM

Last Printed 7/9/2004 8 04 764

Related People



GDS Interface - Passenger ID and Gender Information

Detailed Design Document

Prepared By:

Date: August 9, 2005

Version: 1.0

Exemption 6



Exemption 6

Revisions

Note: When making revisions to the document select 'revisions' from the tools option of Word to highlight changes for clarification when reviewing the document.

Submitted By	Section Changed	Description of Change
	ALL	lew Document
_		



DESIGN DOCUMENT SIGN OFF

Attach copies of all electronic approvals received for this document in Appendix A.

Revision Number	Date	Project Function	Name	Sign-Off Memo Attached Y/N
	1	PROJECT SPONSOR		
		BUSINESS PRODUCT MANAGER		
		PROJECT DIRECTOR		
		PROJECT MANAGER		



	PROJE	CT OVERVIEW
	LI FUNCO	ONAL DESCRIPTION
	1.2 TECHNI	CAL DESCRIPTION
	1.2.1	Inbound Teletype
	1.2.2	End Transaction I
	1.2.3	Outbound Teletype
	1.2.4	PNR displays
	1.2.5	CEM Table
	ASSUM	PTIONS
	2.1 FIDICIDA	WALITY
	2.1.1	Required information:
	2.1.2	Teletype Element Format
	2.1.3	Response
	2.1.4	PNR Display of Passenper Information Remove
	2.1.5	PNR History Display of Passenger Information Request
	2.1.6	Ticketing
	2.2 SYSTEM	
	2.3 ENVIRO	NMENT
		DENCIES
		15
	2.2 Camera	RESOURCES
		ONMENT
•	4.I INTERNA	V
٠	4.2 EXTERN	AL
	PROCES	SS FLOW
	DATA B	ASE SPECIFICATION
1	6.1 EXISTIN	G DATA BASES AND THEIR USE
ľ	6.2 NEW DA	TA BASES AND THEIR USE
j	6.4 DATA D	INTERANCE / UTILITIES
ľ		ASE CREATION
		AM SPECIFICATIONS
1	7.1 INBOUN	O TELETYPE
	7.1.1	TiD6: Process SSR segments.
	7.1.2	TIG2: Validate kev in OSI item
	7.1.3	TIG3: Act on result from OSI request
	7.1.4	TIG5: Process OSI DOCS item
1	7.2 GDS To	KETING
	7.2.1	TAX0: One-ticket-per-passenger nath
	7,2.2	TAAE: Old ticketing path
	7.2,3	TPE3. Worldspan ticketing path
	7.2.4	TOO1: 'PNR now ticketed' process

Date Printed: 578/2015 iii Design Document CtUsers/00009406AppDatalLocal/Temp\Temp1_Identity Project FOIA.zipBorder Crossing/GIDS_APIS_DSG.doc

© AMTRAK - MMV

PROJECT DEVELOPMENT METHODOLOGY-Amtrak

4

_			
7	.3 PNR	ACE AND HISTORY DISPLAY BY GDS AGENT	9
	7.3.1	TAK5: Display 5 fields to GDS agent	0
	7.3.2	TAH7: Display PNR history for 5-fields to GDS ovent	0
7	A PID P	ROCESSING	9
	7.4.1	PDEC: 5-entries processing	
	7.4.2	PDED: Add passenger data to AAA	9
8.		EM IMPACTS	9
8	.1 ESTIM	ATED IMPACTS:	9
	8.1.1	CPU cycles and DASD.	9
	8.1.2	CPU cycles and DASD	10
	8.1.3	Line capacity	10
9.	BUSIN	ESS AREAS IMPACTED	11
10.	APP	LICATION / SYSTEM AREAS IMPACTED	12



DETAILED DESIGN DOCUMENT

1. Project Overview

1.1 Functional Description

In order to support the new requirements for border crossing being requested by US Customs Border Protection Agency in ARROW, Amadeus will need to support the transfer of additional passenger identification information from the Amadeus system into the ARROW system.

US Customs Border Protection Agency has also informed Amtrak that all first names must be a minimum of 2 characters.

1.2 Technical Description

Highlight this area and provide a brief technical description of the project. The technical description should only be added after completion of the remaining sections of this document. If the project is to be implemented in separate products, clearly define the separate products here.

1.2.1 Inbound Teletype

- 1.2.2 End Transaction I
- 1.2.3 Outbound Teletype
 - 1.2.4 PNR displays
 - 1.2.5 CEM Table



2. Assumptions

2.1 Functionality

2.1.1 Required information:

Each GDS is required to supply the date of birth and country of citizenship for each pessenger in a border-crossing PNR, including infants. The new requirements from the US Customs Border Protection group are to also collect gender and passenger identification.

Document Type

- RA US Resident Alien Card
 - · PR -- LPR (Legal Permanent Resident) Card
 - PP Passport
 - RE Re-entry Permit
- RT Refugee Travel Document
 - NC Naturalization Certificate
- BC Birth Certificate (requires photo id)
- · MO Military Orders (requires photo id)

Document Number

Required for the following types:

- RA US Resident Alien Card
- PR LPR (Legal Permanent Resident) Card
- PP Passport
- · RE Re-entry Permit
- · RT Refugee Travel Document
- NC Naturalization Certificate
- Optional for the following types:
 - BC Birth Certificate (requires photo id)
 - MO Military Orders (requires photo id)
- Document Expiry Date
 - Mandatory for the following document types:
 - PP Passport
 Not accepted for the following document types:
 - BC Birth Certificate
 Optional for all other types

Crossing/GDS_APIS_DSG.doc



* Gender

- M Male
 - · F Female
- US Customs Border Protection Agency has also informed Amtrak that all first names must be a minimum of 2 characters. Amtrak will enforce this requirement and reject any Teletype message where the first name of a passenger is less than 2 characters. Amadeus will receive and Acknowledgement notifying them of the reject.

2.1.2 Teletype Element Format

This new element would replace the date of birth OSI. Subject to the approach picked, the data would be placed into the GDS PNR using their system's format for creating the approach (OSI or SSR) picked.

SSR Format:

SSR DOCS 2V HX1/RA/US/123456789012345/US/12JUL64/M/12JUL04/TEST/JOE/H-1TEST/JOE (a) (b) (c) (d) (e) (f) (b) (1) (i) (k) (1) (m) (n) (n)

Where:

- (a) = Supplementary Service Code
- (b) = "Primary Travel Document" SSR Code
- (c) = Carrier participating in the itinerary and program
- (d) = Status code and Number in Party
- (e) = Travel document type (2 Character) (f) = Travel document issuing Country (2 Characters)
- (g) = Travel Document Number (15 Characters)
- (h) = Passenger Nationality (2 Characters)
- (i) = Date of Birth (DDMMMYY) (1) = Gender of passenger
 - M Male
 - F-Female
 - MI Infant Male
 - FI Infant Female
- (k) = Travel Document expiry date (DDMMMYY)
- (I) = Travel Document Surname
- (m) = Travel Document First Given name



- (n) = Multi-passenger PNR Primary passport holder indicator
- (o) = Passenger associated name including number in verty

All fields following (d) must be separated by an oblique (/). If the field is not provided an oblique (/) is inserted to indicate an element is missing.

OSI Format:

OSI 2V DOCS HK1/RA/US/123456789012345/12JUL2004/M/12JUL1964/GR-1TRRT/JOR (a) (b) (c) (d) (e) (f) (h) (i) (i) (k)

Where:

- (a) = Supplementary Service Code
- (b) = Carrier participating in the itinerary and program
- (c) = "Primary Travel Document" SSR Code
- (d) = Status code and Number in Party
- (e) = Travel document type (2 Character)
- (f) = Travel document issuing Country (2 Characters)
- (g) = Travel Document Number (25 Characters max)
- (h) = Travel Document expiry date (DDMMMCCYY)
- (i) = Gender of passenger
 - M Male
 - F Female
 - Mi Infant Male
 - FI Infant Female
- (i) = Date of Birth (DDMMMCCYY)
- (k) = Passenger Nationality (2 Characters)
- (1) = Passenger associated name including number in party

All fields following (d) must be separated by an oblique (/). If the field is not provided an oblique (/) is inserted to indicate an element is missing.

2.1.3 Response

A valid passenger information item will be added to the Arrow PNR, and no response returned. In the case of an error, Arrow will return an advisory message to that effect and that no action has been taken to update the Arrow system. The message will be returned in SSR OTHS elements



Errors:

ADVISE PSGR: VALID PHOTO ID REQUIRED INVALID FORMAT INVALID ID TYPE FOR NON-US/CA CITIZEN

INVALID GENDER, MUST BE M OR F PSGR NER TOO HIGH FOR NER OF NAMES ENTERED INVALID PSGR NUMBER (MUST BE 1-19)

2.1.4 PNR Display of Passenger Information Request

Once Passenger information is added to the PNR, it will be displayed in the Arrow view of the PNR. The information will be placed into the PNR as two separate items – the DOB field that exists today and the new PAX ID field.

OF8C5F RR HL29JUL CTC-P	321.00/	
-010 1/COBLE/GEOFF		
-02@ 1/COBLE/SUSAN		
-03@ 1/ICOBLE/EMILY		
1 2V 68C MTRALB 950A01JUN 505P01J	UN YD	O HK3
3010 R SEG : 1 BASIS 3F /P1-3		
* YOB1 RAIL FARE 123.00		
2 2V 49C ALBCHI 650P01JUN 930A02J	ON YD	O HK3
302@ R SEG : 2 BASIS 3F /P1-3		
* DOF1 RAIL FARE 198.00		
4001@ OSI		
* PNR REQUIRES DOB INFORMATION PRIOR T	O TICKETING	
4002@ OSI		
* PNR REQUIRES DOB INFORMATION PRIOR TO	O TICKETING	
5010 DOB- 09JUL1962/US/P1		
502@ 06JUL1962/US/P2		
505@ 09SEP1999/US/P3		
5068 PAX ID - PP/US/123456789/F/P1		
507@ PAX ID - RA/US/123456789/F/P2		
5040 FBD- 3F		
503@ OSI- 2V DOB09SEP1999/US-COBL	E/EMILY	
901@ NONE	-,	

Infants would be shown as follows and assigned to the passenger would has the infant associated in the same way as DOB today.

503@ PAX ID - *INFRA/US/123456789/F/P3

2.1.5 PNR History Display of Passenger Information Request

Passenger information will only appear in history when it is cancelled. DOB information will continue to appear when it is

Date Printed: 5/8/2015 Page 5 of 18 Design Document
C*\User\\$900074\\$0.04\\$0.pData\\$Local\\$Temp\\$Temp\\$Identity Project FOIA.zip\Border
Crossine\\$0.05 APIS DSG.doc

© AMTRAK - MMV



added or cancelled.

_									
	OFSCS	5F							
1	CTC-	T							
	1V	RM	640A 2	2JUL200	5 OTS				
AN	001	COB	LE/GROE	F					
AN	001	COB	LE/SUSA	N.					
AN	001	ICO	BLE/EMI	LY					
AS	1	2V	68C	MTRALB	950A	1JUN	505P01JUN	YD	KK3
AS	2	27	49C	ALBCHI	650P	OLJUN	930A02JUN	YD	KK3
AD	DC	DB-	0.5	JUL1962	/US/P	L			
				JUL1962					
	CTC-	T02	501074	*00000	00/1E	75107			
:	LVYE	RM	640A	22JUL	QTS L	007			
AD	DC	DB-	0.5	SEP1999	/US/P	3			
	CTC-	T02	501074						
1 4	1894 (ZS.	704A	22JUL	HDQ L	007			
XD	PI	D-	R.F	/US/123	45678	9/19			
CO	BLE/GE	COFF							
	CTC-	T02	501074						
	1894 (22JUL	HDQ L	007			
oc	TKRO	PNQ	XDK						
1	1894 (S	720A	22JUL	HDQ L	007			

2.1.6 Ticketing

The checks at ticketing will be enhanced to include the following new error messages in addition to the existing DOB message:

PAX ID AND DOB REQUIRED BEFORE TICKETING PAX ID INFORMATION REQUIRED BEFORE TICKETING

2.2 System

There will be no impact to system performance.

2.3 Environment

- ARROW will handle the new name associated GDS PNRs.
- ARROW will pass the name association of existing PNRs back to the GDS on claim entries.

3. Dependencies

Date Printed: 5/8/2015 Page 6 of 18 Design Document
C:Users/90009406UppData\U.ocal\Temp\Temp\Temp_identity Project FOIA.zip\Border
Crossing\GDS_APIS_DSG.doc
\$\times AMTRAK_MORE
\$\text{MORE}\$.



3.1 Projects

Requires ... to be implemented.

3.2 System Resources
Requires the allocation of ... file.

4. Environment

4.1 Internal

N/A 4.2 External

5. Process Flow

This section describes how the application is to handle the input to output process, using a high-level flowchart or narrative (pseudo code or paragraph style). Highlight this area and replace with process flow using method chosen.

6. Data Base Specification

- 6.1 Existing data bases and their use None
- 6.2 New data bases and their use None
- 6.3 File Maintenance / Utilities None
- 6.4 Data Base Creation N/A



7. Program Specifications

7.1 Inbound Teletype

7.1.1 TID6: Process SSR segments

Scan and validate the SSR DOCS item if present in the TTY message. If correct, have the information in it sent to TIG so it can be processed accordingly.

7.1.2 TIG2: Validate key in OSI item

Add 'DOCS' as one of the valid keys for an OSI item. If an OSI DOCS is found, call TIG5 for processing. Verify that condition code is passed to TIG3 as passed from TIG5 in EBX084.

7.1.3 TIG3: Act on result from OSI request

Add an OSI item with error message to the PNR if the request is invalid or not successful (i.e. condition code returned from PD package or TIG5 in EBX084).

7.1.4 TIG5: Process OSI DOCS item

Parse and validate the OSI DOCS item. If correct, build both a dummy SPID and SDD requests with the information provided in the OSI DOCS items and submit them as internal request for processing. Upon completion, pass return condition to calling program thru BEX084.

7.2 GDS Ticketing

7.2.1 TAX0: One-ticket-per-passenger path

When processing a border-crossing make sure that valid DOB and PID information is present in the PNR. Call utility RMUX (?) for that verification. In case of error, send canned error message to agent and do not process ticketing request.

7.2.2 TAAE: Old ticketing path

When processing a border-crossing make sure that valid DOB and PID information is present in the PNR. Call utility RMUX (?) for that verification. In case of error, send canned error message to agent and do not process ticketing request.



Page 8 of 18

Design Document



7.2.3 TPE3: Worldspan ticketing path

When processing a border-crossing make sure that valid DOB and PID information is present in the PNR. Call utility RMUX (?) for that verification. In case of error, send canned error message to agent and do not process ticketing request.

7.2.4 TOO1: 'PNR new ticketed' process

When processing a border-crossing make sure that valid DOB and PID information is present in the PNR. Call utility RMUX (?) for that verification. In case of error, take existing error path so PNR is queued to TEL/80.

7.3 PNR face and history display by GDS agent

7.3.1 TAK5: Display 5 fields to GDS agent Add logic to dislpay new 5 PAX ID fields. They should be

displayed after 5 DOB fields and on top of others 5 fields. 7.3.2 TAH7: Display PNR history for 5-fields to GDS agent Display any history item with DOB and PAX ID information that is found in the PNR history

7.4 PID processing

These changes are subject to revision upon how the code for 5PID is built.

7.4.1 PDEC: 5-entries processing 7.4.2 PDED: Add passenger data to AAA

Add check for TTY error if entry is 5PID (See code for 5DOB)

Add additional check for 5PID to turn indicator in AAA if a new 5PID item was added (See code for 5DOB)

8. System Impacts

@ AMTRAK - MMV

8.1 Estimated impacts:

It is anticipated that there will not be any measurable impacts.

8.1.1 CPU cycles and DASD



- 8.1.2 Other Hardware
- 8.1.3 Line capacity



9. Business Areas Impacted

Business Area/	Impact	User	Comments
Business System	(Y/N)	Representative	
Train Operations (CNOC)	1		
Station Operations			
Amtrak Police			
Amtrak Vacations			
Audit/Control			
CETC			
Commissary			
CRM			
Pinance			
GDS			
GD5 -Group Desk Database			
Government Affairs			
Internet			
ITSC			
Mail and Express			
Marketing			
On Board Services			
Outside Vendors			
Reservation Sales			
Revenue Management			
SBUs			
Intercity			
NEC			
Western			
Service Operations (Guest			
Advocacy)			I
State Agencies			
Tariff			
VRU			
Call Center MIS			



10. Application / System Areas Impacted

Tall User to Impact (Y or N)	Area Representative	Comments
t Impact		Comments
	Representative	Commens
(Y or N)		
al User	Area	Comments
t Impact	Representative	
(YerN)		
1 1 1 1 1 1 1		
-I II		COMMENTS
t Impact	Representative	

Date Printed: 5/8/2015 Page 12 of 18 Design Document C:\Users\00009406\AppData\0000406\App\0000406\App

Crossing\GDS_APIS_DSG.do

@ AMTRAK - MMV



System and Distribution Channel	Technical Impact (Y or N)	User Impact (Y or N)	Ares Representative	COMMENTS
Interface			i i	
Areas	1		l I	
BIS				
Data Warehouse				
DB2				
GDS				
MTI/GVG				
Quik/Trak				
Internet				
BTS				
VRU				
Handheld				
CII				
AAPI				
RailRos				
QTMS				
Western Folder				

Appendix A - Verification of Sign Off

Attach copies of any electronic memos submitted as signoff for this document,

© AMTRAK - MMV



Overview of the Program

Beginning December 1, 2000 all reservations booked between the United States and Canada in either direction will require the date of birth and country of citizonship for each guest traveling prior to ticketing. The guest must give this information either at the time the reservation is booked or when the ticket is purchased. No guest will be ticketed who has failed to or is unwilling to provide this information.

Guest Documentation Requirements

Guests must be advised that Canadian and U.S. Customs officials require that they have certain documentation with them when leaving or re-entering the country.

For more information check your GDS system:

Amadeus: R//G/TVL/CDA

Apollo: L[]2V/G/TVL/CDA

Worldspan: @2V@G/TVL/CDA

Sabre: Y/TVL/CDA

AGENCY INSTRUCTIONS RESERVATIONS

- Create or claim Amtrak PNR (see Amtrak quick reference card, Book and Ticket in 7 Easy Steps)
- 2. Enter the 5DOB field
- A SDOB field must be completed before tickets can be issued. If an agent tries to produce tickets for a guest on a cross border segment who does not have a "SDOB" field, an error message will be displayed to the agent.

GDS	Format	
Amadeus	OS2V DOBddmmmyyyy/cc(/*text)-Passenger/name	
Apollo	[]:3OSI2V DOBddmmmyyyy/cc(/*text)-Passenger/name	
Sabre	ZZ5DOBddmmmyyyy/cc(/*text)/P#	
Worldspan	3OSI2V DOBddmmmyyyy/cc(/*text)-Passenger/name	

 Sabre entry must be passenger associated. The # symbol indicates passenger name number.

Willotter.		
DOB	-	Action code
dd	-	two character code(01-31)
mmm	-	three character month(JAN-DEC)
уууу	-	four character year
cc	-	two character country code
text	-	Optional twenty character free text field
-Passenger/name	-	Passenger name or association

4. Ticket using normal ticketing entries.

COUNTRY CODES

Country codes are the standard two letter universally recognized country codes.

Sabre and Amadeus agents can display the country code table in the Amtrak system using normal GDS entries. NOTE: Apollo and Worldspan agents must use their normal GDS functions.

SABRE AMADEUS

To see list of all codes in country code order:

ZZRM*CY R//RM*CY

Error Responses

NAME REQUIRED PRIOR TO ENTERING 5DOB

This message indicates that the agent has attempted to enter date of birth/country of citizenship information for a guest prior to entering the guest's name.

INVALID DATE, IN FUTURE

The agent has attempted to enter a date of birth that is beyond today's date.

INVALID DATE DDMMM

Either the date is invalid for the month specified or the three-character month code is not correct.

INVALID COUNTRY CODE

The two-letter country code does not match one in Amtrak's country code table.

INVALID DELIMITER

A required delimiter has not been entered correctly.

To Order Additional Border Crossing Materials

Border Crossing materials can be ordered through Western Folder on line at: www.travelinfonetwork.com. Or by faxing Western folder at 630-773-4006 with your request.

Be sure to include stock number, quantity, and your agency ARC number.

* Stock number for quick reference cards: 027302

For Automation Questions

Exemption 6

U.S./ Canada agents: Antirak Service Center e-mail:

Overseas agents: Intl Reservation Support e-mail:

Stock # 027302 12 / 00



From: Sent: To: Cc: Subject:

Monday, September 19, 2005 5:43 PM

RE: Passenger Information Requirements for Border Crossing

Exemption 5

Attachments:

Sorry...I didn't get much time to isst. I conducted my testing from the attached functional requirements provided. However, I created and ticketed PNR "OEDIAC" and tested passenger with Passport and the other with Birth Certificate. Although, I noticed there was no TCN number sent from Sabreto Arrow,

I must say these formats are quite lengthy. Through all my errors I just about validated all the errors. I never was able to get an infant booked. How does an infant booking work? Does this only work when a sleeper is booked?

Included in the test script it would be extremely helpful if a full scenario explaining the infant booking process could be included for the and testing temorrow.

Thanks.

----Original Message-----

From Sent: Monday, September 19, 2005 11:32 AM

To:

Subject: RE: Passenger Information Requirements for Border Crossing

Hello

This is active in our test system, and has an End to End planned for tomorrow. If you can get to this today, to do a little testing, that would be great.

-----Original Messa

From: Sent: Tuesday, August 16, 2005 4:31 PM To: Musselwhite, Mark

Exemption 6

Cc:

Subject: RE: Passenger Information Requirements for Border Crossing

Hi

I would like to confirm our IT Department have advised the proposed format will be accepted in Bypass. Please let me know when you are ready to test the proposed Border Crossing format.

Regards.

Sabre / Travel Network

. . .

Manager, Rall Account Relations

----Original Message----

Srom .

Sent: Monday, July 25, 2005 11:15 AM

o:

Subject: Passenger Information Repulrements for Border Crossing

Helio

Please find attached the changes being proposed for the collection of additional identification data for the Border Crossing PNRs in Arrow.

These

changes are being mandated by the US Border inspection Agencies. We have targeted the requirements to be of least impact to you, and have a targeted date of the 1st October. Please review and let me know which approach for passing data that you will employ.

Thanks,

<<SABRE Border Crossing changes.doc>>



Good Morning,

PLEASE BOOK PNRs WITH THE FOLLOWING DATES: 22SEP-12OCT

The Test System should be ready for testing around 10:00am ET

1. SABRE ONLY

- A. Please create PNR's with Border Crossing segments. Ensure there are minimum of two characters for the first and last names. Add 5DOB(date of birth) and a 5PID field. Modify / delete / add 5DOB and 5PID fields. Ticket and forward PNR numbers.
- B. Create PNR's with Border Crossing segments. Ensure there are minimum of two characters for the first and last names. Email me he PNR numbers. I will add an infant to the PNR's and email back. Add 500B and 57HD field for inlant. Please ticket and forward PNR's to the test group.
- C. Create PNR's without Border Crossing segments and ensure there are a minimum of two characters in the first and last names. Add a 5DOB and 5PID field (not required in non-border crossing FNR's). Modify / delete / add 5DOB and 5PID fields. Please ticket the PNR's and forward the PNR numbers.
- D. Create PNR's with a 1 character first name and 1 character last name. You should be unable to enter character name fields.

2. AMADEUS, APOLLO, SABRE & WORLDSPAN

- A. Create 2 PNR's. Create one WITHOUT Border Crossing segments and one WITH Border Crossing segments. Ensure there is a minimum of two characters in the first and last names. Add a 5DOB field to each PNR and forward the Austrak PNR numbers. Do not ticket.
- B. Create 1 PNR to any destination. Please drive the ticket and forward the ticket numbers and the Amtrak PNR number.
- C. Please claim and ticket the PNR assigned to you system. Please forward the Amtrak PNR number.

AMADEUS APOLLO SABRE WORLDSPAN 14A597 14A5B0 14A5B1 14A5B4

3. Do full ARROW regression testing based on the attached standard script.



Please send

and myself the results. Thanks for your cooperation.

Amtrik Traus Agent Sales Center



- 1. Effective for availability displays of 310-005 and beyond, the 'N' service indicator which designates 'No sendoring will no longer appear. Every train [except Auto Train (#'s 20253)] and every Thruway bus service is entirely non-emoting. This frees up a space in that display which will be used for a new service code in the future. This will also cause the phrase "non-smoking train" to disappear from <u>www.antraik.com</u> train services displays. It does "not" mean that roading is going to be allowed again.
- 2. We have been working on a project to convey outsoms-related passenger and crew information from Anthrik's Arnow system to the U.S. Border Inspection Agencies Advance Passenger Information System (APIS). As part of this endeavor, effective 25Sept05, Amtrak will disallow PNR names if the sumame or first name is less than two characters in lentch.

Please ensure that all your subscribers are informed of the above.



1. Effective for availability displays of 31 Oct05 and beyond, the 'N' service indicator which designates 'No Smoking' will no longer appear. Every train [except Auto Train (#' 5:2653)] and every Thraway bus service is entirely non-smoking. This frees up a space in that display which will be used for a new service ode in the future. This will also cause the phrase "non-smoking train" to disappear from www.amtrak.com train services displays. It does "not' mean that smoking is going to be allowed again.

 We have been working on a project to convey customs-related passenger and crew information from Antarak's Arrow system to the U.S Border Inspection Agencies Advance Passenger Information System (APIS).
 As part of this endeavor, effective 25Sep05, Amtrak will disallow PNR names if the surname or first name is less than two characters in length.

Please ensure that all your subscribers are informed of the above.